
 greiner bio-one Page 1 / 5	SAFETY DATA SHEET acc. to ISO 11014, 29 CFR 1910.1200	 greiner bio-one A AN SOP 04.03.02-132 Rev.02 Valid from: May 22, 2017
	MiniCollect® Z Serum Sep Blood Collection Tube	

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

- **Product Name:** MiniCollect® Z Serum Sep Blood Collection Tube
MiniCollect® Complete Z Serum Sep Blood Collection Tube
- **Manufacturer/Supplier:**

AUSTRIA

Greiner Bio-One GmbH
Bad Haller Strasse 32
4550 Kremsmünster
Austria
Tel: (+43) 7583 6791-0
Fax: (+43) 7583 6791-1114
Email: office@at.gbo.com
Emergency phone number: (+43) 7583 6791-0

USA

Greiner Bio-One North America Inc.
4238 Capital Drive
Monroe, NC 28110
USA
Tel: (+1) 888-286-3883
Fax: (+1) 800-726-0052
Email: info@us.gbo.com
Emergency phone number: (+1) 888-286-3883

BRASIL

Greiner Bio-One Brasil
Produtos Médicos Hospitalares Ltda.
Av. Affonso Pansan no. 1.967
13473-620 Vila Bertini
Americana, São Paulo - Brasil
Tel: (+55) 19 3468-9600
Fax: (+55) 19 3468-9601
Email: info@br.gbo.com
Emergency phone number: (+55) 19 3468-9600

- **Recommended use / restrictions of use :**
To collect, transport and process blood for testing in the clinical laboratory. To be used only by trained healthcare professionals according to instructions of use.

SECTION 2: HAZARDS IDENTIFICATION

- **Classification according to NFPA 704:**
Substance is not classified
- **Classification according to Regulation (EC) No. 1272/2008 [EU-GHS/CLP]:**
Substance is not classified
- **Classification according to EU Directives 67/548/EEC or 1999/45/EC:**
Substance is not classified

- **Signal Word:** N/A
- **Pictogram:** N/A
- **Precautionary Statements:**

P202: Do not handle until all safety precautions have been read and well understood as well

P280: Wear protective gloves and clothing, use eye and face protection respectively

P281: Use mandated personal protective equipment


P308+P313: At exposure or if affected: seek medical advice

P302+P352: If on skin: wash with soap and plenty of water

P305+P351+P338: If in eyes: rinse with caution with water for several minutes; remove contact lenses if present and easy to do, continue rinsing

P405: Store in locked up storage rooms

P501: Dispose contents and container according to local guidelines and regulations respectively

 greiner bio-one Page 2 / 5	SAFETY DATA SHEET acc. to ISO 11014, 29 CFR 1910.1200	 greiner bio-one A AN SOP 04.03.02-132 Rev.02 Valid from: May 22, 2017
	MiniCollect® Z Serum Sep Blood Collection Tube	

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

- **Description:** MiniCollect PP Tube (Polypropylene)
Carrier Tube PET (MiniCollect Complete)
- **Chemical name:** Blood Coagulant Accelerator
Gel (proprietary)
- **CAS No.** N/A
- **Quantity of substances:** Blood Coagulant Accelerator < 1% (mass %)
Gel (proprietary) 10 – 15 % (mass %)
Because of trade secrets, not all components and their percentages are listed

SECTION 4: FIRST AID MEASURES

- **General Note:** Show MSDS to doctor or physician! Avoid inducing or enforcing vomiting. First aider: pay attention on self-protection.
- **If in eyes:** Immediately rinse cautiously with plenty of water with opened eyelid for at least 10 minutes; if eye irritation persists get medical advice/attention and seek ophthalmologist respectively.
- **If on skin:** Wash thoroughly with water and soap and rinse with plenty of water. If skin irritation persists or you feel unwell seek medical advice/attention.
- **If inhaled:** not applicable
- **If swallowed:** Immediately rinse mouth thoroughly with water for several times. Drink lots of water if conscious; if problems persist, seek medical advice.

SECTION 5: FIRE-FIGHTING MEASURES


- **Suitable extinguishing media:** Water spray; dry chemical; carbon dioxide
- **Protective equipment:** Wear self-contained breathing apparatus and suitable protective clothing.
- **Special hazards arising from the substance or mixture:** N/A

SECTION 6: ACCIDENTAL RELEASE MEASURES

- **Personal precautions:** Avoid overexposure. Ensure adequate and effective ventilation if spilled; wear protective clothing and gloves, use eye protection
- **Methods for cleaning up:** Wipe up, clean up with water; dispose collected material according to official set of regulations
- **Methods of containment:** Keep in suitable containers for disposal
- **Emergency procedures:** Evacuate personnel to safe areas

SECTION 7: HANDLING AND STORAGE

- **Handling:**
Advice for safe handling: Consider and follow common measures on industrial hygiene; ensure adequate and effective ventilation at workplace; keep container, equipment, hardware and working place clean; avoid contact with skin, eyes and clothing. Do not eat drink or smoke in areas where this product is used, handled, stored or processed. Wash hands and face thoroughly with soap and water and rinse with plenty of water at the end of a working day and at breaks before eating, drinking and smoking respectively.
- **Information about protection against explosions and fires:** N/A
- **Storage:**
Keep container tightly sealed in a cool, dry, dark and well ventilated storage-room where the floor is made from impermeable material separated from incompatibles substances, foodstuffs, beverages, stimulants and animal feed. Keep away from oxidizing agents. Recommended storage temperature: 18 - 25°C.


 greiner bio-one Page 3 / 5	SAFETY DATA SHEET acc. to ISO 11014, 29 CFR 1910.1200	 greiner bio-one A AN SOP 04.03.02-132 Rev.02 Valid from: May 22, 2017
	MiniCollect® Z Serum Sep Blood Collection Tube	

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

- **Exposure limits:**
 OSHA PEL: N/A
 ACGIH TLV: N/A
 Other recommended limits: N/A
- **Additional information about design of technical systems:** None identified
- **Control parameters:** N/A
- **Personal protective equipment:**
General protective and hygienic measures: N/A
Breathing equipment: N/A
Hand protection: Use proper gloves.
Eye protection: wear protective goggles with lateral protection according to EN 166.
Body protection: Wear appropriate protective clothing to prevent skin exposure.
- **Hygiene measures:** Do not eat drink or smoke in areas where this product is used, handled, stored or processed. Wash hands and face thoroughly with soap and water and rinse with plenty of water after use, at the end of a working day and at breaks before eating, drinking and smoking respectively; apply skin protecting cream. Store strictly separated from foodstuffs, beverages, stimulants and animal feed. Keep working and private clothes separated, undress contaminated clothing and shoes and wash/clean them before reuse.
- **Special requirements for PPE:** N/A
- **Appropriate engineering controls:** adequate and effective ventilation

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

- **General information**
- **Form:** Blood Coagulant Accelerator: aqueous suspension (Almost 96% water)
Gel: paste mixture
- **Color:** Blood Coagulant Accelerator: Milky white
Gel: semitransparent, pale yellow, milky white
- **Odor:** Odorless
- **Odor Threshold:** N/A
- **PH-value:** N/A
- **Change in condition**
 Melting point/Melting range: N/A
 Boiling point/Boiling range: N/A
- **Flash point:** N/A
- **Flammability (solid, gaseous):** N/A
- **Danger of explosion:** Generation and accumulation of dusts may cause an explosion.
- **Vapor pressure:** N/A
- **Density:** Blood Coagulant Accelerator: 1,04 g/cm³
Gel: 1,04 – 1,07 g/cm³
- **Solubility in/Miscibility w/H₂O:** Blood Coagulant Accelerator: Insoluble
Gel: Insoluble
- **Organic solvents:** N/A
- **Solids content:** N/A
- **Partition coefficient: n-octanol/water:** N/A
- **Auto-ignition temperature:** N/A
- **Decomposition temperature:** N/A
- **Viscosity:** N/A
- **Oxidizing properties:** N/A

 greiner bio-one Page 4 / 5	SAFETY DATA SHEET acc. to ISO 11014, 29 CFR 1910.1200	 greiner bio-one A AN SOP 04.03.02-132 Rev.02 Valid from: May 22, 2017
	MiniCollect® Z Serum Sep Blood Collection Tube	

SECTION 10: STABILITY AND REACTIVITY

- **Reactivity:** No data available
- **Chemical Stability:** No data available
- **Possibility of hazardous reactions:** No data available
- **Conditions to avoid:** No data available
- **Incompatible materials:** No data available
- **Hazardous decomposition products:** Oxides of nitrogen, carbon monoxide, carbon dioxide.

SECTION 11: TOXICOLOGICAL INFORMATION

- **Acute toxicity** (LD 50 oral, rat > 200 mg/kg)
Eye: may cause eye irritation
Skin: may cause skin irritation
Inhalation: None identified
Ingestion: may be harmful if swallowed
- **Primary irritant effect:**
On the skin: Not established
On the eye: Not established
- **Sensitization:** Not established
- **Additional toxicological information:** None identified

SECTION 12: ECOLOGICAL INFORMATION

- **Ecotoxicological effects:** No data is available on the adverse effects of this material on the environment.
- **Other information:** N/A
- **General notes:** N/A

SECTION 13: DISPOSAL CONSIDERATION

- **Product: Recommendation**
 Disposal should be done in accordance with all federal, state and local environmental regulations.
 This product is not a hazardous waste according to local regulations.
- **Packaging: Recommendation**
 Disposal should be done in accordance with all federal, state and local environmental regulations.
 This product is not a hazardous waste according to local regulations.
Recommended cleansing agent: N/A

SECTION 14: TRANSPORT INFORMATION

- **DOT regulations:** Not regulated
- **Land transport ADR/RID:** Not regulated
- **Maritime transport IMDG:** Not regulated
- **Air transport ICAO-TI and IATA-DGR:** Not regulated

SECTION 15: REGULATORY INFORMATION

- **OSHA, 29 CFR 1910.1200(g) and Appendix D. United Nations Globally Harmonized System of Classification and Labelling of Chemicals (GHS), third revised edition, United Nations, 2009**
- **EC directives: 91/155/EEC, 93/112/EC, 88/379/EEC**
- **Water hazard class:** N/A
- **Note:** Please note that there may be additional legal provisions to be observed. We recommend that you keep yourself informed about all applicable international, national and local regulations.

 greiner bio-one Page 5 / 5	SAFETY DATA SHEET acc. to ISO 11014, 29 CFR 1910.1200	 greiner bio-one A AN SOP 04.03.02-132 Rev.02 Valid from: May 22, 2017
	MiniCollect® Z Serum Sep Blood Collection Tube	

SECTION 16: OTHER INFORMATION

To the best of our knowledge, the information contained herein is accurate. However, neither Greiner Bio-One nor any of its subcontractors or suppliers assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.